



Maths Calculation Policy

Written: October 2019


Revised: January 2022

KS1 Leader: Ms L. Holt

KS2 Leader: Miss H. Earle

Maths Calculation Policy

At Broad Square, we believe that Maths is an important life skill. It is an essential element of communication, widely used in society, both in everyday situations and the world of work. We believe that children should have a clear understanding of how mathematics works; be able to reason logically about their mathematics and have a good grasp of the basic skills required to use their mathematics in given contexts. We see mathematics as an essential part of a child's learning during their primary school years and one that enables children to thrive in many other areas of the curriculum. We have recently completed our implementation of Maths Mastery in our school. Our lessons now all contain elements of the five principles of mastery (see below) throughout each session to embed skills and confidence.



'Mathematics is a creative and highly interconnected discipline that has been developed over centuries, providing the solution to some of history's most intriguing problems. It is essential to everyday life, critical to science, technology and engineering and necessary for financial literacy and most forms of employment.' (National Curriculum, 2014)

At Broad Square, using a Mastery approach, we aim to develop children who:

1. Understand the concept of numbers, how to count them, read them and apply their knowledge to understanding large and decimal numbers.
2. Have excellent foundation knowledge, including basic skills such as: number bonds to 20/100, division and multiplication, times tables and the relationships between the four operations.
3. Are mentally agile. Our children should be confident and fluent with numbers and number patterns and the fundamentals of mathematics so that they can recall and apply their knowledge rapidly and accurately.
4. Use their mathematical knowledge to solve calculations and problems with increasing sophistication, including breaking down problems into a series of simpler steps and persevering in seeking solutions.
5. Apply their mathematics in a variety of situations.
6. Are able to explain their thinking clearly and with good reasoning by following a line of enquiry and seeing relationships between concepts, make generalisations and justify their ideas through proving them using mathematical language.

We believe at Broad Square that using pictorial and practical resources should be offered to all students during maths lessons, not just those in KS1 to aid conceptual understanding.

'A mathematical concept or skill has been mastered when, through exploration, clarification, practice and application over time, a person can represent it in multiple ways, has the mathematical language to be able to communicate related ideas, and can think mathematically with the concept so that they can independently apply it to a totally new problem in an unfamiliar situation.' Helen Drury (2015)

We also follow the mastery guidelines that all pupils should follow the same curriculum and given time to understand a concept thoroughly. Differentiation is offered during maths lessons through adult support and intervention. Maths activities are carefully chosen which will support and challenge pupils of all abilities.

'One of the principal tenets of teaching for mastery is that all pupils should follow the same curriculum, that all should be given the time to understand a concept deeply. Differentiation is achieved by extra support and intervention for some, and by engaging in maths that encourages understanding the content at greater depth (rather than acceleration onto new content) for others.' NCETM
– 2019

Introduction

This year, we have adopted the Power Maths scheme of work across all key stages at Broad Square and the following pages show the *Power Maths* progression in calculation (addition, subtraction, multiplication and division) and how this works in line with the National Curriculum. The consistent use of the CPA (concrete, pictorial, abstract) approach across *Power Maths* helps children develop mastery across all the operations in an efficient and reliable way. This policy shows how these methods develop children's confidence in their understanding of both written and mental methods.

KEY STAGE 1

Children develop the core ideas that underpin all calculation. They begin by connecting calculation with counting on and counting back, but they should learn that understanding wholes and parts will enable them to calculate efficiently and accurately, and with greater flexibility. They learn how to use an understanding of 10s and 1s to develop their calculation strategies, especially in addition and subtraction.




Key language: whole, part, ones, ten, tens, number bond, add, addition, plus, total, altogether, subtract, subtraction, find the difference, take away, minus, less, more, group, share, equal, equals, is equal to, groups, equal groups, times, multiply, multiplied by, divide, share, shared equally, times-table

Addition and subtraction: Children first learn to connect addition and subtraction with counting, but they soon develop two very important skills: an understanding of parts and wholes, and an understanding of unitising 10s, to develop efficient and effective calculation strategies based on known number bonds and an increasing awareness of place value. Addition and subtraction are taught in a way that is interlinked to highlight the link between the two operations. A key idea is that children will select methods and approaches based on their number sense. For example, in Year 1, when faced with $15 - 3$ and $15 - 13$, they will adapt their ways of approaching the calculation appropriately. The teaching should always emphasise the importance of mathematical thinking to ensure accuracy and flexibility of approach, and the importance of using known number facts to harness their recall of bonds within 20 to support both addition and subtraction methods. In Year 2, they will start to see calculations presented in a column format, although this is not expected to be formalised until KS2. We show the column method in Year 2 as an option; teachers may not wish to include it until Year 3.

Multiplication and division: Children develop an awareness of equal groups and link this with counting in equal steps, starting with 2s, 5s and 10s. In Year 2, they learn to connect the language of equal groups with the mathematical symbols for multiplication and division. They learn how multiplication and division can be related to repeated addition and repeated subtraction to find the answer to the calculation. In this key stage, it is vital that children explore and experience a variety of strong images and manipulative representations of equal groups, including concrete experiences as well as abstract calculations. Children begin to recall some key multiplication facts, including doubles, and an understanding of the 2, 5 and 10 times-tables and how they are related to counting.


Fractions: In Year 1, children encounter halves and quarters, and link this with their understanding of sharing. They experience key spatial representations of these fractions, and learn to recognise examples and non-examples, based on their awareness of equal parts of a whole. In Year 2, they develop an awareness of unit fractions and experience non-unit fractions, and they learn to write them and read them in the common format of numerator and denominator.

Year 1

	Concrete	Pictorial	Abstract
Year 1 Addition	Counting and adding more Children add one more person or object to a group to find one more.	Counting and adding more Children add one more cube or counter to a group to represent one more.  One more than 4 is 5.	Counting and adding more Use a number line to understand how to link counting on with finding one more.  One more than 6 is 7. 7 is one more than 6. Learn to link counting on with adding more than one.  $5 + 3 = 8$
	Understanding part-part-whole relationship Sort people and objects into parts and understand the relationship with the whole.	Understanding part-part-whole relationship Children draw to represent the parts and understand the relationship with the whole. 	Understanding part-part-whole relationship Use a part-whole model to represent the numbers.



The parts are 1 and 5. The whole is 6.



$$6 + 4 = 10$$

$$6 + 4 = 10$$

The parts are 2 and 4. The whole is 6.

Knowing and finding number bonds within 10

Break apart a group and put back together to find and form number bonds.




$$3 + 4 = 7$$




$$6 = 2 + 4$$

Knowing and finding number bonds within 10

Use five and ten frames to represent key number bonds.



$$5 = 4 + 1$$





$$10 = 7 + 3$$



Knowing and finding number bonds within 10

Use a part-whole model alongside other representations to find number bonds. Make sure to include examples where one of the parts is zero.

a)




b)



$$4 + 0 = 4$$


$$3 + 1 = 4$$

Understanding teen numbers as a complete 10 and some more
Complete a group of 10 objects and count more.



13 is 10 and 3 more.

Understanding teen numbers as a complete 10 and some more
Use a ten frame to support understanding of a complete 10 for teen numbers.




13 is 10 and 3 more.


Understanding teen numbers as a complete 10 and some more.

*1 ten and 3 ones equal 13.
 $10 + 3 = 13$*


Adding by counting on
Children use knowledge of counting to 20 to find a total by counting on using people or objects.



Adding by counting on
Children use counters to support and represent their counting on strategy.



Adding by counting on
Children use number lines or number tracks to support their counting on strategy.




$7 + 5 = \square$

Adding the 1s
Children use bead strings to recognise how to add the 1s to find the total efficiently.



$2 + 3 = 5$
 $12 + 3 = 15$

Adding the 1s
Children represent calculations using ten frames to add a teen and 1s.



$2 + 3 = 5$

Adding the 1s
Children recognise that a teen is made from a 10 and some 1s and use their knowledge of addition within 10 to work efficiently.

$3 + 5 = 8$
So, $13 + 5 = 18$

$$12 + 3 = 15$$

Bridging the 10 using number bonds


Children use a bead string to complete a 10 and understand how this relates to the addition.



7 add 3 makes 10.
So, 7 add 5 is 10 and 2 more.


Bridging the 10 using number bonds

Children use counters to complete a ten frame and understand how they can add using knowledge of number bonds to 10.



Bridging the 10 using number bonds

Use a part-whole model and a number line to support the calculation.



Year 1 Subtraction

Counting back and taking away


Children arrange objects and remove to find how many are left.



1 less than 6 is 5.
6 subtract 1 is 5.

Counting back and taking away

Children draw and cross out or use counters to represent objects from a problem.




$$9 - \square = \square$$

There are children left.

Counting back and taking away

Children count back to take away and use a number line or number track to support the method.



$$9 - 3 = 6$$

Finding a missing part, given a whole and a part


Children separate a whole into parts and understand how one part can be found by subtraction.

Finding a missing part, given a whole and a part


Children represent a whole and a part and understand how to find the missing part by subtraction.

Finding a missing part, given a whole and a part


Children use a part-whole model to support the subtraction to find a missing part.



$$8 - 5 = ?$$




$$5 - 4 = \square$$



$$7 - 3 = ?$$

Children develop an understanding of the relationship between addition and subtraction facts in a part-whole model.



$$\begin{array}{l} \square - \square = \square \\ \square - \square = \square \\ \square + \square = \square \\ \square + \square = \square \end{array}$$

Finding the difference

Arrange two groups so that the difference between the groups can be worked out.




8 is 2 more than 6.

6 is 2 less than 8.

The difference between 8 and 6 is 2.

Finding the difference

Represent objects using sketches or counters to support finding the difference.




$$5 - 4 = 1$$

The difference between 5 and 4 is 1.

Finding the difference

Children understand 'find the difference' as subtraction.



$$10 - 4 = 6$$

The difference between 10 and 6 is 4.

Subtraction within 20

Understand when and how to subtract 1s efficiently.

Use a bead string to subtract 1s efficiently.




$$5 - 3 = 2$$

$$15 - 3 = 12$$

Subtraction within 20

Understand when and how to subtract 1s efficiently.



$$5 - 3 = 2$$

$$15 - 3 = 12$$

Subtraction within 20

Understand how to use knowledge of bonds within 10 to subtract efficiently.


$$5 - 3 = 2$$

$$15 - 3 = 12$$

Subtracting 10s and 1s

For example: $18 - 12$

Subtract 12 by first subtracting the 10, then the remaining 2.




First subtract the 10, then take away 2.

Subtracting 10s and 1s

For example: $18 - 12$


Use ten frames to represent the efficient method of subtracting 12.



First subtract the 10, then subtract 2.

Subtracting 10s and 1s

Use a part-whole model to support the calculation.



$$19 - 14$$

$$19 - 10 = 9$$


$$9 - 4 = 5$$

So, $19 - 14 = 5$


Subtraction bridging 10 using number bonds

For example: $12 - 7$

Arrange objects into a 10 and some 1s, then decide on how to split the 7 into parts.

**Subtraction bridging 10 using number bonds**

Represent the use of bonds using ten frames.


**Subtraction bridging 10 using number bonds**

Use a number line and a part-whole model to support the method.

$$13 - 5$$

7 is 2 and 5, so I take away the 2 and then the 5.

For $13 - 5$, I take away 3 to make 10, then take away 2 to make 8.



Year 1 Multiplication


Recognising and making equal groups

Children arrange objects in equal and unequal groups and understand how to recognise whether they are equal.



Recognising and making equal groups

Children draw and represent equal and unequal groups.



Describe equal groups using words

Three equal groups of 4.
Four equal groups of 3.


Finding the total of equal groups by counting in 2s, 5s and 10s



There are 5 pens in each pack ...
5...10...15...20...25...30...35...40...


Finding the total of equal groups by counting in 2s, 5s and 10s

100 squares and ten frames support counting in 2s, 5s and 10s.



Finding the total of equal groups by counting in 2s, 5s and 10s

Use a number line to support repeated addition through counting in 2s, 5s and 10s.



Year 1 Division

Grouping

Learn to make equal groups from a whole and find how many equal groups of a certain size can be made.

Grouping

Represent a whole and work out how many equal groups.


Grouping

Children may relate this to counting back in steps of 2, 5 or 10.


Sort a whole set people and objects into equal groups.



*There are 10 children altogether.
There are 2 in each group.
There are 5 groups.*




*There are 10 in total.
There are 5 in each group.
There are 2 groups.*



Sharing

Share a set of objects into equal parts and work out how many are in each part.



Sharing

Sketch or draw to represent sharing into equal parts. This may be related to fractions.



Sharing

10 shared into 2 equal groups gives 5 in each group.

KEY STAGE 2

In Years 3 and 4, children develop the basis of written methods by building their skills alongside a deep understanding of place value. They should use known addition/subtraction and multiplication/division facts to calculate efficiently and accurately, rather than relying on counting. Children use place value equipment to support their understanding, but not as a substitute for thinking.

Key language: partition, place value, tens, hundreds, thousands, column method, whole, part, equal groups, sharing, grouping, bar model

Addition and subtraction: In Year 3 especially, the column methods are built up gradually. Children will develop their understanding of how each stage of the calculation, including any exchanges, relates to place value. The example calculations chosen to introduce the stages of each method may often be more suited to a mental method. However, the examples and the progression of the steps have been chosen to help children develop their fluency in the process, alongside a deep understanding of the concepts and the numbers involved, so that they can apply these skills accurately and efficiently to later calculations. The class should be encouraged to compare mental and written methods for specific calculations, and children should be encouraged at every stage to make choices about which methods to apply.





In Year 4, the steps are shown without such fine detail, although children should continue to build their understanding with a secure basis in place value. In subtraction, children will need to develop their understanding of exchange as they may need to exchange across one or two columns. By the end of Year 4, children should have developed fluency in column methods alongside a deep understanding, which will allow them to progress confidently in upper Key Stage 2.





Multiplication and division: Children build a solid grounding in times-tables, understanding the multiplication and division facts in tandem. As such, they should be as confident knowing that 35 divided by 7 is 5 as knowing that 5 times 7 is 35. Children develop key skills to support multiplication methods: unitising, commutativity, and how to use partitioning effectively. Unitising allows children to use known facts to multiply and divide multiples of 10 and 100 efficiently. Commutativity gives children flexibility in applying known facts to calculations and problem solving. An understanding of partitioning allows children to extend their skills to multiplying and dividing 2- and 3-digit numbers by a single digit. Children develop column methods to support multiplications in these cases. For successful division, children will need to make choices about how to partition. For example, to divide 423 by 3, it is effective to partition 423 into 300, 120 and 3, as these can be divided by 3 using known facts. Children will also need to understand the concept of remainder, in terms of a given calculation and in terms of the context of the problem.



Fractions: Children develop the key concept of equivalent fractions, and link this with multiplying and dividing the numerators and denominators, as well as exploring the visual concept through fractions of shapes. Children learn how to find a fraction of an amount, and develop this with the aid of a bar model and other representations alongside.

In Year 3, children develop an understanding of how to add and subtract fractions with the same denominator and find complements to the whole. This is developed alongside an understanding of fractions as numbers, including fractions greater than 1. In Year 4, children begin to work with fractions greater than 1.

Decimals are introduced, as tenths in Year 3 and then as hundredths in Year 4. Children develop an understanding of decimals in terms of the relationship with fractions, with dividing by 10 and 100, and also with place value.

	Concrete	Pictorial	Abstract
Year 3 Addition			
Understanding 100s	<p>Understand the cardinality of 100, and the link with 10 tens.</p> <p>Use cubes to place into groups of 10 tens.</p> 	<p>Unitise 100 and count in steps of 100.</p> 	<p>Represent steps of 100 on a number line and a number track and count up to 1,000 and back to 0.</p> 
Understanding place value to 1,000	<p>Unitise 100s, 10s and 1s to build 3-digit numbers.</p> 	<p>Use equipment to represent numbers to 1,000.</p>  <p>Use a place value grid to support the structure of numbers to 1,000.</p> <p>Place value counters are used alongside other equipment. Children should understand how each counter represents a different unitised amount.</p>	<p>Represent the parts of numbers to 1,000 using a part-whole model.</p>  <p>$215 = 200 + 10 + 5$</p> <p>Recognise numbers to 1,000 represented on a number line, including those between intervals.</p>


<p>Adding 100s</p>	<p>Use known facts and unitising to add multiples of 100.</p>  <p> $3 + 2 = 5$ <i>3 hundreds + 2 hundreds = 5 hundreds</i> $300 + 200 = 500$ </p>	<p>Use known facts and unitising to add multiples of 100.</p>  <p> $3 + 4 = 7$ <i>3 hundreds + 4 hundreds = 7 hundreds</i> $300 + 400 = 700$ </p>	<p>Use known facts and unitising to add multiples of 100.</p> <p>Represent the addition on a number line.</p> <p>Use a part-whole model to support unitising.</p>  <p> $3 + 2 = 5$ $300 + 200 = 500$ </p>												
<p>3-digit number + 1s, no exchange or bridging</p>	<p>Use number bonds to add the 1s.</p>  <p> $214 + 4 = ?$ <i>Now there are 4 + 4 ones in total.</i> $4 + 4 = 8$ $214 + 4 = 218$ </p>	<p>Use number bonds to add the 1s.</p> <table border="1" data-bbox="958 938 1258 1184"> <thead> <tr> <th>H</th> <th>T</th> <th>O</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>4</td> <td>9</td> </tr> </tbody> </table> <p>Use number bonds to add the 1s. $5 + 4 = 9$</p> <p> $245 + 4$ $5 + 4 = 9$ $245 + 4 = 249$ </p>	H	T	O							2	4	9	<p>Understand the link with counting on.</p> <p>$245 + 4$</p>  <p>Use number bonds to add the 1s and understand that this is more efficient and less prone to error.</p> <p>$245 + 4 = ?$</p>
H	T	O													
															
															
2	4	9													

			<p><i>I will add the 1s.</i> $5 + 4 = 9$ So, $245 + 4 = 249$</p>
<p>3-digit number + 1s with exchange</p>	<p>Understand that when the 1s sum to 10 or more, this requires an exchange of 10 ones for 1 ten.</p> <p>Children should explore this using unitised objects or physical apparatus.</p>	<p>Exchange 10 ones for 1 ten where needed. Use a place value grid to support the understanding.</p> 	<p>Understand how to bridge by partitioning to the 1s to make the next 10.</p>  <p>$135 + 7 = ?$ $135 + 5 + 2 = 142$</p> <p>Ensure that children understand how to add 1s bridging a 100.</p> <p>$198 + 5 = ?$ $198 + 2 + 3 = 203$</p>

$$135 + 7 = 142$$

3-digit number + 10s, no exchange


Calculate mentally by forming the number bond for the 10s.



$234 + 50$
 There are 3 tens and 5 tens altogether.
 $3 + 5 = 8$
 In total there are 8 tens.
 $234 + 50 = 284$

Calculate mentally by forming the number bond for the 10s.

$$351 + 30 = ?$$



$5 \text{ tens} + 3 \text{ tens} = 8 \text{ tens}$
 $351 + 30 = 381$

Calculate mentally by forming the number bond for the 10s.


$$753 + 40$$

I know that $5 + 4 = 9$

So, $50 + 40 = 90$
 $753 + 40 = 793$

3-digit number + 10s, with exchange


Understand the exchange of 10 tens for 1 hundred.



Add by exchanging 10 tens for 1 hundred.

$$184 + 20 = ?$$



Understand how the addition relates to counting on in 10s across 100.



$$184 + 20 = ?$$

I can count in 10s ... 194 ... 204
 $184 + 20 = 204$

Use number bonds within 20 to support efficient mental calculations.



$$184 + 20 = 204$$

$385 + 50$
 There are 8 tens and 5 tens.
 That is 13 tens.
 $385 + 50 = 300 + 130 + 5$
 $385 + 50 = 435$

3-digit number + 2-digit number

Use place value equipment to make and combine groups to model addition.



Use a place value grid to organise thinking and adding of 1s, then 10s.

Use the vertical column method to represent the addition. Children must understand how this relates to place value at each stage of the calculation.

3-digit number + 2-digit number, exchange required

Use place value equipment to model addition and understand where exchange is required.

Use place value counters to represent $154 + 72$.




Use this to decide if any exchange is required.

There are 5 tens and 7 tens. That is 12 tens so I will exchange.

Represent the required exchange on a place value grid using equipment.




$$275 + 16 = ?$$

Use a column method with exchange. Children must understand how the method relates to place value at each stage of the calculation.



$$275 + 16 = 291$$

Note: In this example, a mental method may be more efficient. The numbers for the example calculation have been chosen to allow children to visualise the concept and see how the method relates to place value. Children should be encouraged at every stage to select methods that are accurate and efficient.



$$275 + 16 = 291$$




3-digit number + 3-digit number, no exchange








Use place value equipment to make a representation of a calculation. This may or may not be structured in a place value grid.

326 + 541 is represented as:

Represent the place value grid with equipment to model the stages of column addition.

Use a column method to solve efficiently, using known bonds. Children must understand how this relates to place value at every stage of the calculation.

			
<p>3-digit number + 3-digit number, exchange required</p>	<p>Use place value equipment to enact the exchange required.</p>  <p><i>There are 13 ones. I will exchange 10 ones for 1 ten.</i></p>	<p>Model the stages of column addition using place value equipment on a place value grid.</p> 	<p>Use column addition, ensuring understanding of place value at every stage of the calculation.</p> $\begin{array}{r} \text{H T O} \\ 126 \\ + 217 \\ \hline 343 \end{array}$ $\begin{array}{r} \text{H T O} \\ 126 \\ + 217 \\ \hline 43 \end{array}$ $\begin{array}{r} \text{H T O} \\ 126 \\ + 217 \\ \hline 343 \end{array}$ <p>$126 + 217 = 343$ Note: Children should also study examples where exchange is required in more than one column, for example $185 + 318 = ?$</p>
<p>Representing addition problems, and selecting</p>	<p>Encourage children to use their own drawings and choices of place value equipment to represent problems with one or more steps.</p>	<p>Children understand and create bar models to represent addition problems.</p> <p>$275 + 99 = ?$</p>	<p>Use representations to support choices of appropriate methods.</p>

<p>appropriate methods</p>	<p>These representations will help them to select appropriate methods.</p>	 <p>$275 + 99 = 374$</p>	 <p><i>I will add 100, then subtract 1 to find the solution.</i></p> <p>$128 + 105 + 83 = ?$ <i>I need to add three numbers.</i></p> <p>$128 + 105 = 233$</p>  
<p>Year 3 Subtraction</p>			
<p>Subtracting 100s</p>	<p>Use known facts and unitising to subtract multiples of 100.</p>  <p>$5 - 2 = 3$ $500 - 200 = 300$</p>	<p>Use known facts and unitising to subtract multiples of 100.</p>  <p>$4 - 2 = 2$ $400 - 200 = 200$</p>	<p>Understand the link with counting back in 100s.</p>  <p>$400 - 200 = 200$</p> <p>Use known facts and unitising as efficient and accurate methods. <i>I know that $7 - 4 = 3$. Therefore, I know that $700 - 400 = 300$.</i></p>

**3-digit number
- 1s, no
exchange**

Use number bonds to subtract the 1s.



$$214 - 3 = ?$$



$$4 - 3 = 1$$

$$214 - 3 = 211$$

Use number bonds to subtract the 1s.

H	T	O
3	1	9

$$319 - 4 = ?$$

H	T	O
3	1	9


$$9 - 4 = 5$$

$$319 - 4 = 315$$

Understand the link with counting back using a number line.

Use known number bonds to calculate mentally.

$$476 - 4 = ?$$



$$6 - 4 = 2$$

$$476 - 4 = 472$$

**3-digit number
- 1s, exchange
or bridging
required**

Understand why an exchange is necessary by exploring why 1 ten must be exchanged.

Use place value equipment.

Represent the required exchange on a place value grid.

$$151 - 6 = ?$$






H	T	O


H	T	O

Calculate mentally by using known bonds.

$$151 - 6 = ?$$

$$151 - 1 - 5 = 145$$


<p>3-digit number – 10s, no exchange</p>	<p>Subtract the 10s using known bonds.</p>  <p>$381 - 10 = ?$</p> <p><i>8 tens with 1 removed is 7 tens.</i></p> <p>$381 - 10 = 371$</p>	<p>Subtract the 10s using known bonds.</p>  <p>$8 \text{ tens} - 1 \text{ ten} = 7 \text{ tens}$</p> <p>$381 - 10 = 371$</p>	<p>Use known bonds to subtract the 10s mentally.</p> <p>$372 - 50 = ?$</p> <p>$70 - 50 = 20$</p> <p>So, $372 - 50 = 322$</p>
<p>3-digit number – 10s, exchange or bridging required</p>	<p>Use equipment to understand the exchange of 1 hundred for 10 tens.</p> 	<p>Represent the exchange on a place value grid using equipment.</p> <p>$210 - 20 = ?$</p>  <p><i>I need to exchange 1 hundred for 10 tens, to help subtract 2 tens.</i></p>	<p>Understand the link with counting back on a number line.</p> <p>Use flexible partitioning to support the calculation.</p> <p>$235 - 60 = ?$</p>  <p>$235 = 100 + 130 + 5$</p> <p>$235 - 60 = 100 + 70 + 5$</p> <p>$= 175$</p>




$$210 - 20 = 190$$

3-digit number – up to 3-digit number

Use place value equipment to explore the effect of splitting a whole into two parts, and understand the link with taking away.



Represent the calculation on a place value grid.




Use column subtraction to calculate accurately and efficiently.




3-digit number – up to 3-digit number, exchange required

Use equipment to enact the exchange of 1 hundred for 10 tens, and 1 ten for 10 ones.




Model the required exchange on a place value grid.


$175 - 38 = ?$
I need to subtract 8 ones, so I will exchange a ten for 10 ones.



Use column subtraction to work accurately and efficiently.




If the subtraction is a 3-digit number subtract a 2-digit number, children should understand how the recording relates to the



place value, and so how to line up the digits correctly.


Children should also understand how to exchange in calculations where there is a zero in the 10s column.



Representing subtraction problems

Use bar models to represent subtractions.

'Find the difference' is represented as two bars for comparison.



Bar models can also be used to show that a part must be taken away from the whole.

Children use alternative representations to check calculations and choose efficient methods.



Children use inverse operations to check additions and subtractions.

The part-whole model supports understanding.

I have completed this subtraction.

$$525 - 270 = 255$$


I will check using addition.



Year 3 Multiplication

Understanding equal grouping and repeated addition

Children continue to build understanding of equal groups and the relationship with repeated addition. They recognise both examples and non-examples using objects.




Children recognise that arrays can be used to model commutative multiplications.




*I can see 3 groups of 8.
I can see 8 groups of 3.*

Children recognise that arrays demonstrate commutativity.



*This is 3 groups of 4.
This is 4 groups of 3.*


Children understand the link between repeated addition and multiplication.



8 groups of 3 is 24.

$$3 + 3 + 3 + 3 + 3 + 3 + 3 + 3 = 24$$
$$8 \times 3 = 24$$

A bar model may represent multiplications as equal groups.




$$6 \times 4 = 24$$

Using commutativity to support understanding of the times-tables

Understand how to use times-tables facts flexibly.



Understand how times-table facts relate to commutativity.




Understand how times-table facts relate to commutativity.

I need to work out 4 groups of 7.

$$I \text{ know that } 7 \times 4 = 28$$

so, I know that



There are 6 groups of 4 pens.
There are 4 groups of 6 bread rolls.

I can use $6 \times 4 = 24$ to work out both totals.

$$6 \times 4 = 24$$

$$4 \times 6 = 24$$

4 groups of 7 = 28
and
7 groups of 4 = 28.


Understanding and using $\times 3$, $\times 2$, $\times 4$ and $\times 8$ tables.

Children learn the times-tables as 'groups of', but apply their knowledge of commutativity.



I can use the $\times 3$ table to work out how many keys.
I can also use the $\times 3$ table to work out how many batteries.

Children understand how the $\times 2$, $\times 4$ and $\times 8$ tables are related through repeated doubling.





$$3 \times 2 = 6$$

$$3 \times 4 = 12$$

$$3 \times 8 = 24$$

Children understand the relationship between related multiplication and division facts in known times-tables.



$$2 \times 5 = 10$$

$$5 \times 2 = 10$$

$$10 \div 5 = 2$$

$$10 \div 2 = 5$$

Using known facts to multiply 10s, for example 3×40

Explore the relationship between known times-tables and multiples of 10 using place value equipment.


Make 4 groups of 3 ones.

Understand how unitising 10s supports multiplying by multiples of 10.



Understand how to use known times-tables to multiply multiples of 10.



Make 4 groups of 3 tens.





What is the same?
What is different?



4 groups of 2 ones is 8 ones.
4 groups of 2 tens is 8 tens.

$$4 \times 2 = 8$$

$$4 \times 20 = 80$$



$$4 \times 2 = 8$$

$$4 \times 20 = 80$$

Multiplying a 2-digit number by a 1-digit number

Understand how to link partitioning a 2-digit number with multiplying.

Each person has 23 flowers.

Each person has 2 tens and 3 ones.



There are 3 groups of 2 tens.

There are 3 groups of 3 ones.

Use place value to support how partitioning is linked with multiplying by a 2-digit number.

$$3 \times 24 = ?$$

T	O

$$3 \times 4 = 12$$

Use addition to complete multiplications of 2-digit numbers by a 1-digit number.

$$4 \times 13 = ?$$


$$4 \times 3 = 12$$

$$4 \times 10 = 40$$

$$12 + 40 = 52$$


$$4 \times 13 = 52$$

Use place value equipment to model the multiplication context.



There are 3 groups of 3 ones.

There are 3 groups of 2 tens.



$$3 \times 20 = 60$$

$$60 + 12 = 72$$

$$3 \times 24 = 72$$


Multiplying a 2-digit number by a 1-digit number, expanded column method

Use place value equipment to model how 10 ones are exchanged for a 10 in some multiplications.

$$3 \times 24 = ?$$

$$3 \times 20 = 60$$

$$3 \times 4 = 12$$




$$3 \times 24 = 60 + 12$$

Understand that multiplications may require an exchange of 1s for 10s, and also 10s for 100s.

$$4 \times 23 = ?$$


Children may write calculations in expanded column form, but must understand the link with place value and exchange.

Children are encouraged to write the expanded parts of the calculation separately.




$$5 \times 28 = ?$$

knowledge to divide



24 divided into groups of 8.
There are 3 groups of 8.



$$48 \div 4 = 12$$


48 divided into groups of 4.
There are 12 groups.

$$4 \times 12 = 48$$
$$48 \div 4 = 12$$

I need to work out 30 shared between 5.


I know that $6 \times 5 = 30$
so I know that $30 \div 5 = 6$.

A bar model may represent the relationship between sharing and grouping.




$$24 \div 4 = 6$$
$$24 \div 6 = 4$$

Children understand how division is related to both repeated subtraction and repeated addition.



$$24 \div 8 = 3$$









$$32 \div 8 = 4$$




Understanding remainders



Use equipment to understand that a remainder occurs when a set of objects cannot be divided equally any further.

Use images to explain remainders.

Understand that the remainder is what cannot be shared equally from a set.

	 <p>There are 13 sticks in total. There are 3 groups of 4, with 1 remainder.</p>	 <p>$22 \div 5 = 4$ remainder 2</p>	<p>$22 \div 5 = ?$</p> <p>$3 \times 5 = 15$ $4 \times 5 = 20$ $5 \times 5 = 25 \dots$ this is larger than 22 So, $22 \div 5 = 4$ remainder 2</p>
<p>Using known facts to divide multiples of 10</p>	<p>Use place value equipment to understand how to divide by unitising.</p> <p>Make 6 ones divided by 3.</p>  <p>Now make 6 tens divided by 3.</p>  <p>What is the same? What is different?</p>	<p>Divide multiples of 10 by unitising.</p>  <p>12 tens shared into 3 equal groups. 4 tens in each group.</p>	<p>Divide multiples of 10 by a single digit using known times-tables.</p> <p>$180 \div 3 = ?$</p> <p>180 is 18 tens.</p> <p>18 divided by 3 is 6. 18 tens divided by 3 is 6 tens.</p> <p>$18 \div 3 = 6$ $180 \div 3 = 60$</p>
<p>2-digit number divided by 1-digit number, no remainders</p>	<p>Children explore dividing 2-digit numbers by using place value equipment.</p>  <p>$48 \div 2 = ?$</p> <p>First divide the 10s.</p>	<p>Children explore which partitions support particular divisions.</p> 	<p>Children partition a number into 10s and 1s to divide where appropriate.</p>  <p>$60 \div 2 = 30$ $8 \div 2 = 4$ $30 + 4 = 34$ $68 \div 2 = 34$</p>

	 <p>Then divide the 1s.</p> 	<p>I need to partition 42 differently to divide by 3.</p>  $42 = 30 + 12$ $42 \div 3 = 14$	<p>Children partition flexibly to divide where appropriate.</p> $42 \div 3 = ?$ $42 = 40 + 2$ <p>I need to partition 42 differently to divide by 3.</p> $42 = 30 + 12$ $30 \div 3 = 10$ $12 \div 3 = 4$ $10 + 4 = 14$ $42 \div 3 = 14$
<p>2-digit number divided by 1-digit number, with remainders</p>	<p>Use place value equipment to understand the concept of remainder.</p> <p>Make 29 from place value equipment. Share it into 2 equal groups.</p>  <p>There are two groups of 14 and 1 remainder.</p>	<p>Use place value equipment to understand the concept of remainder in division.</p> $29 \div 2 = ?$  $29 \div 2 = 14 \text{ remainder } 1$	<p>Partition to divide, understanding the remainder in context.</p> <p>67 children try to make 5 equal lines.</p> $67 = 50 + 17$ $50 \div 5 = 10$ $17 \div 5 = 3 \text{ remainder } 2$ $67 \div 5 = 13 \text{ remainder } 2$ <p>There are 13 children in each line and 2 children left out.</p>

	Concrete	Pictorial	Abstract												
Year 4 Addition															
Understanding numbers to 10,000	<p>Use place value equipment to understand the place value of 4-digit numbers.</p>  <p><i>4 thousands equal 4,000.</i></p> <p><i>1 thousand is 10 hundreds.</i></p>	<p>Represent numbers using place value counters once children understand the relationship between 1,000s and 100s.</p>  <p>$2,000 + 500 + 40 + 2 = 2,542$</p>	<p>Understand partitioning of 4-digit numbers, including numbers with digits of 0.</p>  <p>$5,000 + 60 + 8 = 5,068$</p> <p>Understand and read 4-digit numbers on a number line.</p> 												
Choosing mental methods where appropriate	<p>Use unitising and known facts to support mental calculations.</p> <p><i>Make 1,405 from place value equipment.</i></p> <p><i>Add 2,000.</i></p> <p><i>Now add the 1,000s.</i></p> <p><i>1 thousand + 2 thousands = 3 thousands</i></p> <p>$1,405 + 2,000 = 3,405$</p>	<p>Use unitising and known facts to support mental calculations.</p> <table border="1" data-bbox="952 997 1512 1157"> <thead> <tr> <th>Th</th> <th>H</th> <th>T</th> <th>O</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table> <p><i>I can add the 100s mentally.</i></p> <p>$200 + 300 = 500$</p> <p>So, $4,256 + 300 = 4,556$</p>	Th	H	T	O									<p>Use unitising and known facts to support mental calculations.</p> <p>$4,256 + 300 = ?$</p> <p>$2 + 3 = 5$ $200 + 300 = 500$</p> <p>$4,256 + 300 = 4,556$</p>
Th	H	T	O												
															
															

Column addition with exchange

Use place value equipment on a place value grid to organise thinking.

Ensure that children understand how the columns relate to place value and what to do if the numbers are not all 4-digit numbers.

Use equipment to show $1,905 + 775$.

Th	H	T	O
1000	900	0	5
	700	70	5

Why have only three columns been used for the second row? Why is the Thousands box empty?

Which columns will total 10 or more?

Use place value equipment to model required exchanges.

Th	H	T	O
1000	900	0	5
1000 1000 1000	700	70	5

Th	H	T	O
1000	900	0	5
1000 1000 1000	700	70	5

Th	H	T	O
1000	900	0	5
1000 1000 1000	700	70	5

Th	H	T	O
1000	900	0	5
1000 1000 1000	700	70	5

Include examples that exchange in more than one column.

Use a column method to add, including exchanges.

Th	H	T	O
1	5	5	4
+ 4	2	3	7
<hr/>			
		9	1

Th	H	T	O
1	5	5	4
+ 4	2	3	7
<hr/>			
		9	1

Th	H	T	O
1	5	5	4
+ 4	2	3	7
<hr/>			
7		9	1


Th	H	T	O
1	5	5	4
+ 4	2	3	7
<hr/>			
5	7	9	1

Include examples that exchange in more than one column.


What number will be left if we take away 300?

Column subtraction with exchange

Understand why exchange of a 1,000 for 100s, a 100 for 10s, or a 10 for 1s may be necessary.



Represent place value equipment on a place value grid to subtract, including exchanges where needed.



Use column subtraction, with understanding of the place value of any exchange required.

$$\begin{array}{r} \text{Th} \quad \text{H} \quad \text{T} \quad \text{O} \\ 1 \quad 2 \quad 5 \quad 0 \\ - \quad 4 \quad 2 \quad 0 \\ \hline \\ \\ \end{array}$$

$$\begin{array}{r} \text{Th} \quad \text{H} \quad \text{T} \quad \text{O} \\ 1 \quad 2 \quad 5 \quad 0 \\ - \quad 4 \quad 2 \quad 0 \\ \hline \\ \\ \end{array}$$

$$\begin{array}{r} \text{Th} \quad \text{H} \quad \text{T} \quad \text{O} \\ \cancel{1} \quad 2 \quad 5 \quad 0 \\ - \quad 4 \quad 2 \quad 0 \\ \hline \\ \\ \end{array}$$

$$\begin{array}{r} \text{Th} \quad \text{H} \quad \text{T} \quad \text{O} \\ \cancel{1} \quad 2 \quad 5 \quad 0 \\ - \quad 4 \quad 2 \quad 0 \\ \hline \\ \\ \end{array}$$

Column subtraction with exchange across more than one column

Understand why two exchanges may be necessary.



$$2,502 - 243 = ?$$

Make exchanges across more than one column where there is a zero as a place holder.





$$2,502 - 243 = ?$$

Make exchanges across more than one column where there is a zero as a place holder.

$$2,502 - 243 = ?$$



I need to exchange a 10 for some 1s, but there are not any 10s here.




Th	H	T	O
2	4 0	10	2
-	2	4	3
<hr/>			

Th	H	T	O
2	4 9	10	2
-	2	4	3
<hr/>			

Th	H	T	O
2	4 9	10	2
-	2	4	3
<hr/>			
2	2	5	9

Representing subtractions and checking strategies

Use bar models to represent subtractions where a part needs to be calculated.




I can work out the total number of Yes votes using $5,762 - 2,899$.

Bar models can also represent 'find the difference' as a subtraction problem.


Use inverse operations to check subtractions.

I calculated $1,225 - 799 = 574$.
I will check by adding the parts.



Th	H	T	O
7	9	9	
+	5	7	4
<hr/>			
1	3	7	3


The parts do not add to make 1,225.
I must have made a mistake.



**Year 4
Multiplication**


**Multiplying by
multiples of 10
and 100**

Use unitising and place value equipment to understand how to multiply by multiples of 1, 10 and 100.



3 groups of 4 ones is 12 ones.
3 groups of 4 tens is 12 tens.
3 groups of 4 hundreds is 12 hundreds.

Use unitising and place value equipment to understand how to multiply by multiples of 1, 10 and 100.



$3 \times 4 = 12$
 $3 \times 40 = 120$
 $3 \times 400 = 1,200$

Use known facts and understanding of place value and commutativity to multiply mentally.

$$4 \times 7 = 28$$

$$4 \times 70 = 280$$

$$40 \times 7 = 280$$

$$4 \times 700 = 2,800$$

$$400 \times 7 = 2,800$$

**Understanding
times-tables
up to 12×12**


Understand the special cases of multiplying by 1 and 0.




$$5 \times 1 = 5$$

$$5 \times 0 = 0$$

Represent the relationship between the $\times 9$ table and the $\times 10$ table.



Represent the $\times 11$ table and $\times 12$ tables in relation to the $\times 10$ table.



$$2 \times 11 = 20 + 2$$

$$3 \times 11 = 30 + 3$$

Understand how times-tables relate to counting patterns.

Understand links between the $\times 3$ table, $\times 6$ table and $\times 9$ table

5×6 is double 5×3

$\times 5$ table and $\times 6$ table


I know that $7 \times 5 = 35$

so I know that $7 \times 6 = 35 + 7$.


$\times 5$ table and $\times 7$ table

$$3 \times 7 = 3 \times 5 + 3 \times 2$$

$$4 \times 11 = 40 + 4$$



$$4 \times 12 = 40 + 8$$



$\times 9$ table and $\times 10$ table


$$6 \times 10 = 60$$

$$6 \times 9 = 60 - 6$$

Understanding and using partitioning in multiplication


Make multiplications by partitioning.

4×12 is 4 groups of 10 and 4 groups of 2.



$$4 \times 12 = 40 + 8$$

Understand how multiplication and partitioning are related through addition.



$$4 \times 3 = 12 \quad 4 \times 5 = 20$$

$$4 \times 8 = 32$$

$$4 \times 3 = 12$$


$$4 \times 5 = 20$$

$$12 + 20 = 32$$

$$4 \times 8 = 32$$

Use partitioning to multiply 2-digit numbers by a single digit.

$$18 \times 6 = ?$$




$$\begin{aligned} 18 \times 6 &= 10 \times 6 + 8 \times 6 \\ &= 60 + 48 \\ &= 108 \end{aligned}$$

$$\begin{aligned} 18 \times 6 &= 10 \times 6 + 8 \times 6 \\ &= 60 + 48 \\ &= 108 \end{aligned}$$

Column multiplication for 2- and 3-digit numbers multiplied by a single digit


Use place value equipment to make multiplications.

Make 4×136 using equipment.



I can work out how many 1s, 10s and 100s.

Use place value equipment alongside a column method for multiplication of up to 3-digit numbers by a single digit.







$$\begin{array}{r} 3 \ 1 \ 2 \\ \times \quad 3 \\ \hline 9 \ 3 \ 6 \end{array}$$

Use the formal column method for up to 3-digit numbers multiplied by a single digit.

$$\begin{array}{r} 3 \ 1 \ 2 \\ \times \quad 3 \\ \hline 9 \ 3 \ 6 \end{array}$$


Understand how the expanded column method is related to the formal column method and understand how any

	<p>There are 4×6 ones... 24 ones There are 4×3 tens ... 12 tens There are 4×1 hundreds ... 4 hundreds</p> <p>$24 + 120 + 400 = 544$</p>		<p>exchanges are related to place value at each stage of the calculation.</p> $\begin{array}{r} 23 \\ \times 5 \\ \hline 115 \end{array}$ $\begin{array}{r} 23 \\ \times 5 \\ \hline 115 \\ \hline 115 \end{array}$
<p>Multiplying more than two numbers</p>	<p>Represent situations by multiplying three numbers together.</p>  <p>Each sheet has 2×5 stickers. There are 3 sheets.</p> <p>There are $5 \times 2 \times 3$ stickers in total.</p> $\underbrace{5 \times 2 \times 3}_{10} = 30$ $10 \times 3 = 30$	<p>Understand that commutativity can be used to multiply in different orders.</p>  <p>$2 \times 6 \times 10 = 120$ $12 \times 10 = 120$</p> <p>$10 \times 6 \times 2 = 120$ $60 \times 2 = 120$</p>	<p>Use knowledge of factors to simplify some multiplications.</p> <p>$24 \times 5 = 12 \times 2 \times 5$</p> <p>$12 \times 2 \times 5 =$</p> $\underbrace{12 \times 2}_{10} \times 5 = 120$ <p>So, $24 \times 5 = 120$</p>
<p>Year 4 Division</p>			
<p>Understanding the relationship between</p>	<p>Use objects to explore families of multiplication and division facts.</p>	<p>Represent divisions using an array.</p>	<p>Understand families of related multiplication and division facts.</p> <p><i>I know that $5 \times 7 = 35$</i></p>

<p>multiplication and division, including times-tables</p>	 <p>$4 \times 6 = 24$ <i>24 is 6 groups of 4.</i> <i>24 is 4 groups of 6.</i></p> <p><i>24 divided by 6 is 4.</i> <i>24 divided by 4 is 6.</i></p>	 <p>$28 \div 7 = 4$</p>	<p><i>so I know all these facts:</i></p> <p>$5 \times 7 = 35$ $7 \times 5 = 35$ $35 = 5 \times 7$ $35 = 7 \times 5$ $35 \div 5 = 7$ $35 \div 7 = 5$ $7 = 35 \div 5$ $5 = 35 \div 7$</p>
<p>Dividing multiples of 10 and 100 by a single digit</p>	<p>Use place value equipment to understand how to use unitising to divide.</p>  <p><i>8 ones divided into 2 equal groups 4 ones in each group</i></p> <p><i>8 tens divided into 2 equal groups 4 tens in each group</i></p> <p><i>8 hundreds divided into 2 equal groups 4 hundreds in each group</i></p>	<p>Represent divisions using place value equipment.</p> <p>$9 \div 3 = \square$</p>  <p>$90 \div 3 = \square$</p>  <p>$900 \div 3 = \square$</p>  <p>$9 \div 3 = 3$</p> <p><i>9 tens divided by 3 is 3 tens.</i> <i>9 hundreds divided by 3 is 3 hundreds.</i></p>	<p>Use known facts to divide 10s and 100s by a single digit.</p> <p>$15 \div 3 = 5$</p> <p>$150 \div 3 = 50$</p> <p>$1500 \div 3 = 500$</p>
<p>Dividing 2-digit and 3-digit numbers by a</p>	<p>Partition into 10s and 1s to divide where appropriate.</p>	<p>Partition into 100s, 10s and 1s using Base 10 equipment to divide where appropriate.</p>	<p>Partition into 100s, 10s and 1s using a part-whole model to divide where appropriate.</p>

single digit by partitioning into 100s, 10s and 1s

$39 \div 3 = ?$




$39 = 30 + 9$

$30 \div 3 = 10$

$9 \div 3 = 3$

$39 \div 3 = 13$

$39 \div 3 = ?$




$39 = 30 + 9$

$30 \div 3 = 10$

$9 \div 3 = 3$

$39 \div 3 = 13$

$142 \div 2 = ?$



$100 \div 2 = \square \quad 40 \div 2 = \square \quad 6 \div 2 = \square$

$100 \div 2 = 50$

$40 \div 2 = 20$

$6 \div 2 = 3$

$50 + 20 + 3 = 73$


$142 \div 2 = 73$

Dividing 2-digit and 3-digit numbers by a single digit, using flexible partitioning

Use place value equipment to explore why different partitions are needed.

$42 \div 3 = ?$


I will split it into 30 and 12, so that I can divide by 3 more easily.



Represent how to partition flexibly where needed.

$84 \div 7 = ?$


I will partition into 70 and 14 because I am dividing by 7.



$70 \div 7 = 10 \quad 14 \div 7 = 2$

$84 \div 7 = 12$

Make decisions about appropriate partitioning based on the division required.







$72 \div 2 = 36$

$72 \div 3 = 24$

$72 \div 4 = 18$

$72 \div 6 = 12$

Understand that different partitions can be used to complete the same division.

			
<p>Understanding remainders</p>	<p>Use place value equipment to find remainders.</p> <p><i>85 shared into 4 equal groups</i></p> <p><i>There are 24, and 1 that cannot be shared.</i></p> 	<p>Represent the remainder as the part that cannot be shared equally.</p>  <p>$72 \div 5 = 14 \text{ remainder } 2$</p>	<p>Understand how partitioning can reveal remainders of divisions.</p>  <p>$80 \div 4 = 20$</p> <p>$12 \div 4 = 3$</p> <p>$95 \div 4 = 23 \text{ remainder } 3$</p>

KEY STAGE 2

In upper Key Stage 2, children build on secure foundations in calculation, and develop fluency, accuracy and flexibility in their approach to the four operations. They work with whole numbers and adapt their skills to work with decimals, and they continue to develop their ability to select appropriate, accurate and efficient operations.




Key language: decimal, column methods, exchange, partition, mental method, ten thousand, hundred thousand, million, factor, multiple, prime number, square number, cube number


Addition and subtraction: Children build on their column methods to add and subtract numbers with up to seven digits, and they adapt the methods to calculate efficiently and effectively with decimals, ensuring understanding of place value at every stage. Children compare and contrast methods, and they select mental methods or jottings where appropriate and where these are more likely to be efficient or accurate when compared with formal column methods. Bar models are used to represent the calculations required to solve problems and may indicate where efficient methods can be chosen.


Multiplication and division: Building on their understanding, children develop methods to multiply up to 4-digit numbers by single-digit and 2-digit numbers. Children develop column methods with an understanding of place value, and they continue to use the key skill of unitising to multiply and divide by 10, 100 and 1,000. Written division methods are introduced and adapted for division by single-digit and 2-digit numbers and are understood alongside the area model and place value. In Year 6, children develop a secure understanding of how division is related to fractions. Multiplication and division of decimals are also introduced and refined in Year 6.

Fractions: Children find fractions of amounts, multiply a fraction by a whole number and by another fraction, divide a fraction by a whole number, and add and subtract fractions with different denominators. Children become more confident working with improper fractions and mixed numbers and can calculate with them. Understanding of decimals with up to 3 decimal places is built through place value and as fractions, and children calculate with decimals in the context of measure as well as in pure arithmetic. Children develop an understanding of percentages in relation to hundredths, and they understand how to work with common percentages: 50%, 25%, 10% and 1%.

	Concrete	Pictorial	Abstract
Year 5 Addition			
Column addition with whole numbers	<p>Use place value equipment to represent additions.</p> <p><i>Add a row of counters onto the place value grid to show 15,735 + 4,012.</i></p>	<p>Represent additions, using place value equipment on a place value grid alongside written methods.</p> <p><i>I need to exchange 10 tens for a 100.</i></p> $\begin{array}{r} \text{TTh Th H T O} \\ 20153 \\ + 19175 \\ \hline 39328 \end{array}$	<p>Use column addition, including exchanges.</p> $\begin{array}{r} \text{TTh Th H T O} \\ 19175 \\ + 18417 \\ \hline 37592 \end{array}$
Representing additions		<p>Bar models represent addition of two or more numbers in the context of problem solving.</p> $\begin{array}{r} \text{Th H T O} \\ 2600 \\ + 1450 \\ \hline 4050 \end{array} \qquad \begin{array}{r} \text{Th H T O} \\ 2600 \\ + 4050 \\ \hline 6650 \end{array}$	<p>Use approximation to check whether answers are reasonable.</p> $\begin{array}{r} \text{TTh Th H T O} \\ 23405 \\ + 7892 \\ \hline 20297 \end{array} \qquad \begin{array}{r} \text{TTh Th H T O} \\ 23405 \\ + 7892 \\ \hline 31297 \end{array}$ <p><i>I will use 23,000 + 8,000 to check.</i></p>

<p>Adding tenths</p>	<p>Link measure with addition of decimals.</p> <p><i>Two lengths of fencing are 0.6 m and 0.2 m.</i></p> <p><i>How long are they when added together?</i></p> 	<p>Use a bar model with a number line to add tenths.</p>  <p>$0.6 + 0.2 = 0.8$</p> <p><i>6 tenths + 2 tenths = 8 tenths</i></p>	<p>Understand the link with adding fractions.</p> $\frac{6}{10} + \frac{2}{10} = \frac{8}{10}$ <p><i>6 tenths + 2 tenths = 8 tenths</i></p> <p>$0.6 + 0.2 = 0.8$</p>
<p>Adding decimals using column addition</p>	<p>Use place value equipment to represent additions.</p> <p><i>Show $0.23 + 0.45$ using place value counters.</i></p>	<p>Use place value equipment on a place value grid to represent additions.</p> <p>Represent exchange where necessary.</p>  <p>Include examples where the numbers of decimal places are different.</p> 	<p>Add using a column method, ensuring that children understand the link with place value.</p> $\begin{array}{r} \text{O} \cdot \text{Tth} \text{Hth} \\ 0 \cdot 2 \ 3 \\ + 0 \cdot 4 \ 5 \\ \hline 0 \cdot 6 \ 8 \end{array}$ <p>Include exchange where required, alongside an understanding of place value.</p> $\begin{array}{r} \text{O} \cdot \text{Tth} \text{Hth} \\ 0 \cdot 9 \ 2 \\ + 0 \cdot 3 \ 3 \\ \hline 1 \cdot 2 \ 5 \end{array}$ <p>Include additions where the numbers of decimal places are different.</p> <p>$3.4 + 0.65 = ?$</p>

			$\begin{array}{r} \text{O} \cdot \text{Tth} \text{ Hth} \\ 3 \cdot 4 \ 0 \\ + 0 \cdot 6 \ 5 \\ \hline \end{array}$																																																		
Year 5 Subtraction																																																					
Column subtraction with whole numbers	<p>Use place value equipment to understand where exchanges are required.</p> <p>$2,250 - 1,070$</p> 	<p>Represent the stages of the calculation using place value equipment on a grid alongside the calculation, including exchanges where required.</p> <p>$15,735 - 2,582 = 13,153$</p> <table border="1" data-bbox="958 657 1370 726"> <thead> <tr> <th>TTh</th> <th>Th</th> <th>H</th> <th>T</th> <th>O</th> </tr> </thead> <tbody> <tr> <td>●</td> <td>●●●●●</td> <td>●●●●●</td> <td>●●●●●</td> <td>●●●●●</td> </tr> </tbody> </table> $\begin{array}{r} \text{TTh Th H T O} \\ 1 \ 5 \ 7 \ 3 \ 5 \\ - 2 \ 5 \ 8 \ 2 \\ \hline 3 \end{array}$ <p>Now subtract the 10s. Exchange 1 hundred for 10 tens.</p> <table border="1" data-bbox="958 801 1370 885"> <thead> <tr> <th>TTh</th> <th>Th</th> <th>H</th> <th>T</th> <th>O</th> </tr> </thead> <tbody> <tr> <td>●</td> <td>●●●●●</td> <td>●●●●●</td> <td>●●●●●</td> <td>●●●●●</td> </tr> </tbody> </table> $\begin{array}{r} \text{TTh Th H T O} \\ 1 \ 5 \ 7 \ 13 \ 5 \\ - 2 \ 5 \ 8 \ 2 \\ \hline 5 \ 3 \end{array}$ <p>Subtract the 100s, 1,000s and 10,000s.</p> <table border="1" data-bbox="958 938 1370 1023"> <thead> <tr> <th>TTh</th> <th>Th</th> <th>H</th> <th>T</th> <th>O</th> </tr> </thead> <tbody> <tr> <td>●</td> <td>●●●●●</td> <td>●●●●●</td> <td>●●●●●</td> <td>●●●●●</td> </tr> </tbody> </table> $\begin{array}{r} \text{TTh Th H T O} \\ 1 \ 5 \ 7 \ 13 \ 5 \\ - 2 \ 5 \ 8 \ 2 \\ \hline 1 \ 3 \ 1 \ 5 \ 3 \end{array}$	TTh	Th	H	T	O	●	●●●●●	●●●●●	●●●●●	●●●●●	TTh	Th	H	T	O	●	●●●●●	●●●●●	●●●●●	●●●●●	TTh	Th	H	T	O	●	●●●●●	●●●●●	●●●●●	●●●●●	<p>Use column subtraction methods with exchange where required.</p> <table border="1" data-bbox="1563 523 1774 657"> <thead> <tr> <th>TTh</th> <th>Th</th> <th>H</th> <th>T</th> <th>O</th> </tr> </thead> <tbody> <tr> <td>5</td> <td>18</td> <td>5</td> <td>3</td> <td>7</td> </tr> <tr> <td>-</td> <td>1</td> <td>8</td> <td>5</td> <td>3</td> </tr> <tr> <td>4</td> <td>3</td> <td>5</td> <td>6</td> <td>3</td> </tr> </tbody> </table> <p>$62,097 - 18,534 = 43,563$</p>	TTh	Th	H	T	O	5	18	5	3	7	-	1	8	5	3	4	3	5	6	3
TTh	Th	H	T	O																																																	
●	●●●●●	●●●●●	●●●●●	●●●●●																																																	
TTh	Th	H	T	O																																																	
●	●●●●●	●●●●●	●●●●●	●●●●●																																																	
TTh	Th	H	T	O																																																	
●	●●●●●	●●●●●	●●●●●	●●●●●																																																	
TTh	Th	H	T	O																																																	
5	18	5	3	7																																																	
-	1	8	5	3																																																	
4	3	5	6	3																																																	
Checking strategies and representing subtractions		<p>Bar models represent subtractions in problem contexts, including 'find the difference'.</p> <p>Athletics Stadium $75,450$</p> <p>Hockey Centre $42,300$</p> <p>Velodrome $15,735$?</p>	<p>Children can explain the mistake made when the columns have not been ordered correctly.</p> <table border="1" data-bbox="1563 1184 1706 1311"> <thead> <tr> <th colspan="5">Bella's working</th> </tr> <tr> <th>TTh</th> <th>Th</th> <th>H</th> <th>T</th> <th>O</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7</td> <td>8</td> <td>7</td> <td>7</td> </tr> <tr> <td>+</td> <td>4</td> <td>0</td> <td>1</td> <td>2</td> </tr> <tr> <td>5</td> <td>7</td> <td>9</td> <td>9</td> <td>7</td> </tr> </tbody> </table> <table border="1" data-bbox="1751 1184 1886 1311"> <thead> <tr> <th colspan="5">Correct method</th> </tr> <tr> <th>TTh</th> <th>Th</th> <th>H</th> <th>T</th> <th>O</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7</td> <td>8</td> <td>7</td> <td>7</td> </tr> <tr> <td>+</td> <td>4</td> <td>0</td> <td>1</td> <td>2</td> </tr> <tr> <td>2</td> <td>1</td> <td>8</td> <td>8</td> <td>9</td> </tr> </tbody> </table> <p>Use approximation to check calculations.</p>	Bella's working					TTh	Th	H	T	O	1	7	8	7	7	+	4	0	1	2	5	7	9	9	7	Correct method					TTh	Th	H	T	O	1	7	8	7	7	+	4	0	1	2	2	1	8	8	9
Bella's working																																																					
TTh	Th	H	T	O																																																	
1	7	8	7	7																																																	
+	4	0	1	2																																																	
5	7	9	9	7																																																	
Correct method																																																					
TTh	Th	H	T	O																																																	
1	7	8	7	7																																																	
+	4	0	1	2																																																	
2	1	8	8	9																																																	

			<p><i>I calculated $18,000 + 4,000$ mentally to check my subtraction.</i></p>																																				
<p>Choosing efficient methods</p>			<p>To subtract two large numbers that are close, children find the difference by counting on. $2,002 - 1,995 = ?$</p>  <p>Use addition to check subtractions. <i>I calculated $7,546 - 2,355 = 5,191$. I will check using the inverse.</i></p>																																				
<p>Subtracting decimals</p>	<p>Explore complements to a whole number by working in the context of length.</p>  <p>1 m - <input type="text"/> m = <input type="text"/> m</p> <p>$1 - 0.49 = ?$</p>	<p>Use a place value grid to represent the stages of column subtraction, including exchanges where required.</p> <p>$5.74 - 2.25 = ?$</p>	<p>Use column subtraction, with an understanding of place value, including subtracting numbers with different numbers of decimal places.</p> <p>$3.921 - 3.75 = ?$</p> <table style="margin-left: auto; margin-right: auto;"> <tr> <td></td> <td>O</td> <td>·</td> <td>Tth</td> <td>Hth</td> <td>Thth</td> </tr> <tr> <td></td> <td>3</td> <td>·</td> <td>9</td> <td>2</td> <td>1</td> </tr> <tr> <td>-</td> <td>3</td> <td>·</td> <td>7</td> <td>5</td> <td>0</td> </tr> <tr> <td colspan="6"><hr/></td> </tr> <tr> <td></td> <td></td> <td>·</td> <td></td> <td></td> <td></td> </tr> <tr> <td colspan="6"><hr/></td> </tr> </table>		O	·	Tth	Hth	Thth		3	·	9	2	1	-	3	·	7	5	0	<hr/>								·				<hr/>					
	O	·	Tth	Hth	Thth																																		
	3	·	9	2	1																																		
-	3	·	7	5	0																																		
<hr/>																																							
		·																																					
<hr/>																																							

		<table border="1" style="width: 100%; text-align: center;"> <tr> <td>O</td> <td>•</td> <td>Tth</td> <td>Hth</td> </tr> <tr> <td>●●●●●</td> <td>•</td> <td>●●●●●</td> <td>●●●●●</td> </tr> <tr> <td></td> <td>•</td> <td>●●</td> <td></td> </tr> </table> <p>Exchange 1 tenth for 10 hundredths.</p> <table border="1" style="width: 100%; text-align: center;"> <tr> <td>O</td> <td>•</td> <td>Tth</td> <td>Hth</td> </tr> <tr> <td>●●●●●</td> <td>•</td> <td>●●●●●</td> <td>●●●●●</td> </tr> <tr> <td></td> <td>•</td> <td>●</td> <td>●●●●●</td> </tr> </table> <p>Now subtract the 5 hundredths.</p> <table border="1" style="width: 100%; text-align: center;"> <tr> <td>O</td> <td>•</td> <td>Tth</td> <td>Hth</td> </tr> <tr> <td>●●●●●</td> <td>•</td> <td>●●●●●</td> <td>●●●●●</td> </tr> <tr> <td></td> <td>•</td> <td>●</td> <td>●●●●●</td> </tr> </table> <p>Now subtract the 2 tenths, then the 2 ones.</p> <table border="1" style="width: 100%; text-align: center;"> <tr> <td>O</td> <td>•</td> <td>Tth</td> <td>Hth</td> </tr> <tr> <td>●●●●●</td> <td>•</td> <td>●●●●●</td> <td>●●●●●</td> </tr> <tr> <td>●●</td> <td>•</td> <td>●●</td> <td>●●●●●</td> </tr> </table>	O	•	Tth	Hth	●●●●●	•	●●●●●	●●●●●		•	●●		O	•	Tth	Hth	●●●●●	•	●●●●●	●●●●●		•	●	●●●●●	O	•	Tth	Hth	●●●●●	•	●●●●●	●●●●●		•	●	●●●●●	O	•	Tth	Hth	●●●●●	•	●●●●●	●●●●●	●●	•	●●	●●●●●	$\begin{array}{r} \text{O} \cdot \text{Tth} \text{ Hth} \\ 5 \cdot 7 \ 4 \\ - 2 \cdot 2 \ 5 \\ \hline \end{array}$ $\begin{array}{r} \text{O} \cdot \text{Tth} \text{ Hth} \\ 5 \cdot \overset{6}{7} \ ^1 4 \\ - 2 \cdot 2 \ 5 \\ \hline \end{array}$ $\begin{array}{r} \text{O} \cdot \text{Tth} \text{ Hth} \\ 5 \cdot \overset{6}{7} \ ^1 4 \\ - 2 \cdot 2 \ 5 \\ \hline 9 \end{array}$ $\begin{array}{r} \text{O} \cdot \text{Tth} \text{ Hth} \\ 5 \cdot \overset{6}{7} \ ^1 4 \\ - 2 \cdot 2 \ 5 \\ \hline 3 \cdot 4 \ 9 \end{array}$
O	•	Tth	Hth																																																
●●●●●	•	●●●●●	●●●●●																																																
	•	●●																																																	
O	•	Tth	Hth																																																
●●●●●	•	●●●●●	●●●●●																																																
	•	●	●●●●●																																																
O	•	Tth	Hth																																																
●●●●●	•	●●●●●	●●●●●																																																
	•	●	●●●●●																																																
O	•	Tth	Hth																																																
●●●●●	•	●●●●●	●●●●●																																																
●●	•	●●	●●●●●																																																


Year 5 Multiplication

Understanding factors


Use cubes or counters to explore the meaning of 'square numbers'.

25 is a square number because it is made from 5 rows of 5.

Use cubes to explore cube numbers.



Use images to explore examples and non-examples of square numbers.




$8 \times 8 = 64$
 $8^2 = 64$

Understand the pattern of square numbers in the multiplication tables.

Use a multiplication grid to circle each square number. Can children spot a pattern?

8 is a cube number.




12 is not a square number, because you cannot multiply a whole number by itself to make 12.

Multiplying by 10, 100 and 1,000

Use place value equipment to multiply by 10, 100 and 1,000 by unitising.

$4 \times 1 = 4 \text{ ones} = 4$	
$4 \times 10 = 4 \text{ tens} = 40$	
$4 \times 100 = 4 \text{ hundreds} = 400$	

Understand the effect of repeated multiplication by 10.



Understand how exchange relates to the digits when multiplying by 10, 100 and 1,000.

H	T	O
	1	7


$$17 \times 10 = 170$$

$$17 \times 100 = 17 \times 10 \times 10 = 1,700$$

$$17 \times 1,000 = 17 \times 10 \times 10 \times 10 = 17,000$$

Multiplying by multiples of 10, 100 and 1,000


Use place value equipment to explore multiplying by unitising.



5 groups of 3 ones is 15 ones.
5 groups of 3 tens is 15 tens.

So, I know that 5 groups of 3 thousands would be 15 thousands.

Use place value equipment to represent how to multiply by multiples of 10, 100 and 1,000.



$$4 \times 3 = 12$$

$$4 \times 300 = 1,200$$

$$6 \times 4 = 24$$

$$6 \times 400 = 2,400$$

Use known facts and unitising to multiply.


$$5 \times 4 = 20$$

$$5 \times 40 = 200$$

$$5 \times 400 = 2,000$$

$$5 \times 4,000 = 20,000$$

$$5,000 \times 4 = 20,000$$

<p>Multiplying up to 4-digit numbers by a single digit</p>	<p>Explore how to use partitioning to multiply efficiently.</p> <p>$8 \times 17 = ?$</p>  <p>$8 \times 10 = 80$ $8 \times 7 = 56$</p> <p>$80 + 56 = 136$</p> <p>So, $8 \times 17 = 136$</p>	<p>Represent multiplications using place value equipment and add the 1s, then 10s, then 100s, then 1,000s.</p> <table border="1" data-bbox="958 395 1406 810"> <thead> <tr> <th></th> <th>H</th> <th>T</th> <th>O</th> </tr> </thead> <tbody> <tr> <td>1000</td> <td>1</td> <td></td> <td></td> </tr> <tr> <td>100</td> <td></td> <td>8</td> <td>0</td> </tr> <tr> <td>10</td> <td></td> <td>56</td> <td>0</td> </tr> <tr> <td>1</td> <td></td> <td></td> <td>136</td> </tr> </tbody> </table>		H	T	O	1000	1			100		8	0	10		56	0	1			136	<p>Use an area model and then add the parts.</p> <table border="1" data-bbox="1563 351 2123 438"> <tr> <td></td> <td>100</td> <td>60</td> <td>3</td> </tr> <tr> <td>5</td> <td>$100 \times 5 = 500$</td> <td>$60 \times 5 = 300$</td> <td>$3 \times 5 = 15$</td> </tr> </table> <p>Use a column multiplication, including any required exchanges.</p> $\begin{array}{r} 136 \\ \times 5 \\ \hline 680 \\ 1500 \\ \hline 6800 \end{array}$		100	60	3	5	$100 \times 5 = 500$	$60 \times 5 = 300$	$3 \times 5 = 15$
	H	T	O																												
1000	1																														
100		8	0																												
10		56	0																												
1			136																												
	100	60	3																												
5	$100 \times 5 = 500$	$60 \times 5 = 300$	$3 \times 5 = 15$																												
<p>Multiplying 2-digit numbers by 2-digit numbers</p>	<p>Partition one number into 10s and 1s, then add the parts.</p> <p>$23 \times 15 = ?$</p>	<p>Use an area model and add the parts.</p> <p>$28 \times 15 = ?$</p> <table border="1" data-bbox="958 1093 1411 1292"> <tr> <td></td> <td>20 m</td> <td>8 m</td> <td></td> </tr> <tr> <td>10 m</td> <td>$20 \times 10 = 200 \text{ m}^2$</td> <td>$8 \times 10 = 80 \text{ m}^2$</td> <td></td> </tr> <tr> <td>5 m</td> <td>$20 \times 5 = 100 \text{ m}^2$</td> <td>$8 \times 5 = 40 \text{ m}^2$</td> <td></td> </tr> </table> $\begin{array}{r} \text{H T O} \\ 200 \\ 100 \\ 80 \\ + 40 \\ \hline 420 \end{array}$ <p>$28 \times 15 = 420$</p>		20 m	8 m		10 m	$20 \times 10 = 200 \text{ m}^2$	$8 \times 10 = 80 \text{ m}^2$		5 m	$20 \times 5 = 100 \text{ m}^2$	$8 \times 5 = 40 \text{ m}^2$		<p>Use column multiplication, ensuring understanding of place value at each stage.</p> $\begin{array}{r} 34 \\ \times 27 \\ \hline 238 \\ 700 \\ \hline 2278 \end{array}$																
	20 m	8 m																													
10 m	$20 \times 10 = 200 \text{ m}^2$	$8 \times 10 = 80 \text{ m}^2$																													
5 m	$20 \times 5 = 100 \text{ m}^2$	$8 \times 5 = 40 \text{ m}^2$																													



$10 \times 15 = 150$



$10 \times 15 = 150$



$3 \times 15 = 45$

There are 345 bottles of milk in total.

	H	T	O
	1	5	0
	1	5	0
+		4	5
	3	4	5

$$23 \times 15 = 345$$

$$\begin{array}{r} 34 \\ \times 27 \\ \hline 238 \quad 34 \times 7 \\ 680 \quad 34 \times 20 \\ \hline \end{array}$$

$$\begin{array}{r} 34 \\ \times 27 \\ \hline 238 \quad 34 \times 7 \\ 680 \quad 34 \times 20 \\ \hline 918 \quad 34 \times 27 \\ \hline \end{array}$$

Multiplying up to 4-digits by 2-digits

Use the area model then add the parts.

	100	40	3
10			
2			

	Th	H	T	O
	1	0	0	0
		4	0	0
		2	0	0
			8	0
			3	0
+				6
	1	7	1	6

$143 \times 12 = 1,716$

There are 1,716 boxes of cereal in total.

$$143 \times 12 = 1,716$$

Use column multiplication, ensuring understanding of place value at each stage.

$$\begin{array}{r} 143 \\ \times 12 \\ \hline 286 \quad 143 \times 2 \\ 1430 \quad 143 \times 10 \\ \hline 1716 \quad 143 \times 12 \\ \hline \end{array}$$

Progress to include examples that require multiple exchanges as understanding, confidence and fluency build.

$1,274 \times 32 = ?$
First multiply 1,274 by 2.

$$\begin{array}{r} 1274 \\ \times 32 \\ \hline 2548 \quad 1,274 \times 2 \\ \hline \end{array}$$

Then multiply 1,274 by 30.

$$\begin{array}{r}
 1\ 2\ 7\ 4 \\
 \times \quad 3\ 2 \\
 \hline
 2\ 5\ 4\ 8 \quad 1,274 \times 2 \\
 3\ 8\ 2\ 2\ 0 \quad 1,274 \times 30 \\
 \hline
 \end{array}$$

Finally, find the total.


$$\begin{array}{r}
 1\ 2\ 7\ 4 \\
 \times \quad \quad 3\ 2 \\
 \hline
 2\ 5\ 4\ 8 \quad 1,274 \times 2 \\
 3\ 8\ 2\ 2\ 0 \quad 1,274 \times 30 \\
 \hline
 4\ 0\ 7\ 6\ 8 \quad 1,274 \times 32
 \end{array}$$

$$1,274 \times 32 = 40,768$$

Multiplying decimals by 10, 100 and 1,000


Use place value equipment to explore and understand the exchange of 10 tenths, 10 hundredths or 10 thousandths.

Represent multiplication by 10 as exchange on a place value grid.



$$0.14 \times 10 = 1.4$$

Understand how this exchange is represented on a place value chart.





Year 5 Division


Understanding factors and prime numbers

Use equipment to explore the factors of a given number.

Understand that prime numbers are numbers with exactly two factors.

Understand how to recognise prime and composite numbers.



	 <p> $24 \div 3 = 8$ $24 \div 8 = 3$ <i>8 and 3 are factors of 24 because they divide 24 exactly.</i> </p> <p> $24 \div 5 = 4$ remainder 4. </p>  <p> <i>5 is not a factor of 24 because there is a remainder.</i> </p>	<p> $13 \div 1 = 13$ $13 \div 2 = 6 \text{ r } 1$ $13 \div 4 = 4 \text{ r } 1$ </p> <p> <i>1 and 13 are the only factors of 13. 13 is a prime number.</i> </p>	<p> <i>I know that 31 is a prime number because it can be divided by only 1 and itself without leaving a remainder.</i> </p> <p> <i>I know that 33 is not a prime number as it can be divided by 1, 3, 11 and 33.</i> </p> <p> <i>I know that 1 is not a prime number, as it has only 1 factor.</i> </p>
Understanding inverse operations and the link with multiplication, grouping and sharing	<p>Use equipment to group and share and to explore the calculations that are present.</p> <p><i>I have 28 counters.</i></p> <p><i>I made 7 groups of 4. There are 28 in total.</i></p> <p><i>I have 28 in total. I shared them equally into 7 groups. There are 4 in each group.</i></p> <p><i>I have 28 in total. I made groups of 4. There are 7 equal groups.</i></p>	<p>Represent multiplicative relationships and explore the families of division facts.</p>  <p> $60 \div 4 = 15$ $60 \div 15 = 4$ </p>	<p>Represent the different multiplicative relationships to solve problems requiring inverse operations.</p> <p> $12 \div 3 = \square$ $12 \div \square = 3$ $\square \times 3 = 12$ $\square \div 3 = 12$ </p>  <p>Understand missing number problems for division calculations and know how to solve them using inverse operations.</p> <p> $22 \div ? = 2$ $22 \div 2 = ?$ $? \div 2 = 22$ $? \div 22 = 2$ </p>
Dividing whole numbers by 10, 100 and 1,000	<p>Use place value equipment to support unitising for division.</p> <p>$4,000 \div 1,000$</p>	<p>Use a bar model to support dividing by unitising.</p> <p>$380 \div 10 = 38$</p>	<p>Understand how and why the digits change on a place value grid when dividing by 10, 100 or 1,000.</p>



4,000 is 4 thousands.

$$4 \times 1,000 = 4,000$$

So, $4,000 \div 1,000 = 4$



380 is 38 tens.

$$38 \times 10 = 380$$

$$10 \times 38 = 380$$

So, $380 \div 10 = 38$

Th	H	T	O
3	2	0	0

$$3,200 \div 100 = ?$$

3,200 is 3 thousands and 2 hundreds.

$$200 \div 100 = 2$$


$$3,000 \div 100 = 30$$

$$3,200 \div 100 = 32$$

So, the digits will move two places to the right.

Dividing by multiples of 10, 100 and 1,000

Use place value equipment to represent known facts and unitising.




15 ones put into groups of 3 ones. There are 5 groups.

$$15 \div 3 = 5$$

15 tens put into groups of 3 tens. There are 5 groups.

$$150 \div 30 = 5$$


Represent related facts with place value equipment when dividing by unitising.



180 is 18 tens.

18 tens divided into groups of 3 tens. There are 6 groups.

$$180 \div 30 = 6$$



Reason from known facts, based on understanding of unitising. Use knowledge of the inverse relationship to check.

$$3,000 \div 5 = 600$$

$$3,000 \div 50 = 60$$

$$3,000 \div 500 = 6$$

$$5 \times 600 = 3,000$$

$$50 \times 60 = 3,000$$

$$500 \times 6 = 3,000$$

12 ones divided into groups of 4. There are 3 groups.

12 hundreds divided into groups of 4 hundreds. There are 3 groups.

$$1200 \div 400 = 3$$

Dividing up to four digits by a single digit using short division

Explore grouping using place value equipment.

$$268 \div 2 = ?$$

There is 1 group of 2 hundreds.

There are 3 groups of 2 tens.


There are 4 groups of 2 ones.

$$264 \div 2 = 134$$

Use place value equipment on a place value grid alongside short division.

The model uses grouping.

A sharing model can also be used, although the model would need adapting.



Lay out the problem as a short division.

There is 1 group of 4 in 4 tens.

There are 2 groups of 4 in 8 ones.

Work with divisions that require exchange.

Use short division for up to 4-digit numbers divided by a single digit.

$$\begin{array}{r} 0556 \\ 7 \overline{) 3894} \end{array}$$

$$3,892 \div 7 = 556$$

Use multiplication to check.

$$556 \times 7 = ?$$


$$6 \times 7 = 42$$


$$50 \times 7 = 350$$

$$500 \times 7 = 3500$$


$$3,500 + 350 + 42 = 3,892$$

$$4 \overline{) 92}$$



 First, lay out the problem.

$$4 \overline{) 2} \begin{array}{l} 2 \\ \hline \end{array}$$

 How many groups of 4 go into 9 tens?

2 groups of 4 tens with 1 ten left over.

$$4 \overline{) 12}$$

 Exchange the 1 ten left over for 10 ones.

We now have 12 ones.

$$4 \overline{) 12} \begin{array}{l} 2 \\ 3 \\ \hline \end{array}$$

 How many groups of 4 go into 12 ones?

3 groups of 4 ones.

Understanding remainders

Understand remainders using concrete versions of a problem.

80 cakes divided into trays of 6.




80 cakes in total. They make 13 groups of 6, with 2 remaining.

Use short division and understand remainders as the last remaining 1s.


$$6 \overline{) 80}$$


 Lay out the problem as short division.

$$6 \overline{) 8} \begin{array}{l} 1 \\ \hline \end{array}$$

 How many groups of 6 go into 8 tens?

There is 1 group of 6 tens.


There are 2 tens remaining.

$$6 \overline{) 20} \begin{array}{l} 3 \\ r2 \\ \hline \end{array}$$

 How many groups of 6 go into 20 ones?

There are 3 groups of 6 ones.

There are 2 ones remaining.

In problem solving contexts, represent divisions including remainders with a bar model.



$$683 = 136 \times 5 + 3$$

$$683 \div 5 = 136 r 3$$


Dividing decimals by 10, 100 and 1,000

Understand division by 10 using exchange.

2 ones are 20 tenths.


20 tenths divided by 10 is 2 tenths.

Represent division using exchange on a place value grid.




*1.5 is 1 one and 5 tenths.
This is equivalent to 10 tenths and 50 hundredths.
10 tenths divided by 10 is 1 tenth.
50 hundredths divided by 10 is 5 hundredths.
1.5 divided by 10 is 1 tenth and 5 hundredths.
 $1.5 \div 10 = 0.15$*

Understand the movement of digits on a place value grid.



$0.85 \div 10 = 0.085$



$8.5 \div 100 = 0.085$

Understanding the relationship between fractions and division

Use sharing to explore the link between fractions and division.

*1 whole shared between 3 people.
Each person receives one-third.*

Use a bar model and other fraction representations to show the link between fractions and division.




$1 \div 3 = \frac{1}{3}$

Use the link between division and fractions to calculate divisions.

$5 \div 4 = \frac{5}{4} = 1\frac{1}{4}$

$11 \div 4 = \frac{11}{4} = 2\frac{3}{4}$




Year 6

	Concrete	Pictorial	Abstract
--	-----------------	------------------	-----------------

Year 6 Addition			
------------------------	--	--	--

<p>Comparing and selecting efficient methods</p>	<p>Represent 7-digit numbers on a place value grid, and use this to support thinking and mental methods.</p> <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td>M</td> <td>HTh</td> <td>TTh</td> <td>Th</td> <td>H</td> <td>T</td> <td>O</td> </tr> <tr> <td>●●</td> <td>●●●●</td> <td>●</td> <td>●</td> <td>●●●</td> <td></td> <td>●</td> </tr> </table>	M	HTh	TTh	Th	H	T	O	●●	●●●●	●	●	●●●		●	<p>Discuss similarities and differences between methods, and choose efficient methods based on the specific calculation. Compare written and mental methods alongside place value representations.</p> <div style="text-align: center;"> </div> <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td>TTh</td> <td>Th</td> <td>H</td> <td>T</td> <td>O</td> <td></td> </tr> <tr> <td>●●●●●</td> <td></td> <td>●●</td> <td>●●●●●</td> <td>●●●●●</td> <td>4 0 2 6 5</td> </tr> <tr> <td></td> <td>●●●●</td> <td>●●●●●</td> <td>●●</td> <td>●●</td> <td>+ 3 5 2 2</td> </tr> </table>	TTh	Th	H	T	O		●●●●●		●●	●●●●●	●●●●●	4 0 2 6 5		●●●●	●●●●●	●●	●●	+ 3 5 2 2	<p>Use column addition where mental methods are not efficient. Recognise common errors with column addition.</p> <p>$32,145 + 4,302 = ?$</p> <table style="margin-left: auto; margin-right: auto;"> <tr> <td>TTh</td> <td>Th</td> <td>H</td> <td>T</td> <td>O</td> <td></td> </tr> <tr> <td>3</td> <td>2</td> <td>1</td> <td>4</td> <td>5</td> <td></td> </tr> <tr> <td colspan="5">+</td> <td>4 3 0 2</td> </tr> <tr> <td>3</td> <td>6</td> <td>4</td> <td>4</td> <td>7</td> <td></td> </tr> </table> <table style="margin-left: auto; margin-right: auto;"> <tr> <td>TTh</td> <td>Th</td> <td>H</td> <td>T</td> <td>O</td> <td></td> </tr> <tr> <td>3</td> <td>2</td> <td>1</td> <td>4</td> <td>5</td> <td></td> </tr> <tr> <td colspan="5">+</td> <td>4 3 0 2</td> </tr> <tr> <td>7</td> <td>5</td> <td>1</td> <td>6</td> <td>5</td> <td></td> </tr> </table> <p><i>Which method has been completed accurately?</i></p> <p><i>What mistake has been made?</i></p> <p>Column methods are also used for decimal additions where mental methods are not efficient.</p>	TTh	Th	H	T	O		3	2	1	4	5		+					4 3 0 2	3	6	4	4	7		TTh	Th	H	T	O		3	2	1	4	5		+					4 3 0 2	7	5	1	6	5	
M	HTh	TTh	Th	H	T	O																																																																													
●●	●●●●	●	●	●●●		●																																																																													
TTh	Th	H	T	O																																																																															
●●●●●		●●	●●●●●	●●●●●	4 0 2 6 5																																																																														
	●●●●	●●●●●	●●	●●	+ 3 5 2 2																																																																														
TTh	Th	H	T	O																																																																															
3	2	1	4	5																																																																															
+					4 3 0 2																																																																														
3	6	4	4	7																																																																															
TTh	Th	H	T	O																																																																															
3	2	1	4	5																																																																															
+					4 3 0 2																																																																														
7	5	1	6	5																																																																															

Use bar model and number line representations to model addition in problem-solving and measure contexts.



	H	T	O	·	Tth	Hth
		4	0	·	0	9
+		4	9	·	8	9
		8	9	·	9	8

Selecting mental methods for larger numbers where appropriate

Represent 7-digit numbers on a place value grid, and use this to support thinking and mental methods.



$$2,411,301 + 500,000 = ?$$


This would be 5 more counters in the HTh place.

So, the total is 2,911,301.

$$2,411,301 + 500,000 = 2,911,301$$

Use a bar model to support thinking in addition problems.

$$257,000 + 99,000 = ?$$



I added 100 thousands then subtracted 1 thousand.

257 thousands + 100 thousands = 357 thousands

$$257,000 + 100,000 = 357,000$$

$$357,000 - 1,000 = 356,000$$

So, 257,000 + 99,000 = 356,000

Use place value and unitising to support mental calculations with larger numbers.

$$195,000 + 6,000 = ?$$

$$195 + 5 + 1 = 201$$

195 thousands + 6 thousands = 201 thousands

So, 195,000 + 6,000 = 201,000

Understanding order of operations in calculations




Use equipment to model different interpretations of a calculation with more than one operation. Explore different results.

$$3 \times 5 - 2 = ?$$

Model calculations using a bar model to demonstrate the correct order of operations in multi-step calculations.

Understand the correct order of operations in calculations without brackets.

Understand how brackets affect the order of operations in a calculation.

<p>Subtracting mentally with larger numbers</p>		<p>Use a bar model to show how unitising can support mental calculations.</p> <p>$950,000 - 150,000$ That is 950 thousands – 150 thousands</p>  <p>So, the difference is 800 thousands. $950,000 - 150,000 = 800,000$</p>	<p>Subtract efficiently from powers of 10.</p> <p>$10,000 - 500 = ?$</p>																																						
<p>Year 6 Multiplication</p>																																									
<p>Multiplying up to a 4-digit number by a single digit number</p>	<p>Use equipment to explore multiplications.</p> <table border="1" data-bbox="367 775 857 919"> <thead> <tr> <th>Th</th> <th>H</th> <th>T</th> <th>O</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table> <p>4 groups of 2,345</p> <p>This is a multiplication:</p> <p>$4 \times 2,345$ $2,345 \times 4$</p>	Th	H	T	O					<p>Use place value equipment to compare methods.</p> <p>Method 1</p>  <p>Method 2</p>  <p>$4 \times 3,000$ 4×200 4×20 4×5 $12,000 + 800 + 80 + 20 = 12,900$</p>	<p>Understand area model and short multiplication.</p> <p>Compare and select appropriate methods for specific multiplications.</p> <p>Method 3</p> <table border="1" data-bbox="1563 948 1792 1007"> <tr> <td></td> <td>3,000</td> <td>200</td> <td>20</td> <td>5</td> </tr> <tr> <td>4</td> <td>12,000</td> <td>800</td> <td>80</td> <td>20</td> </tr> </table> <p>$12,000 + 800 + 80 + 20 = 12,900$</p> <p>Method 4</p> <table border="1" data-bbox="1563 1126 1711 1222"> <tr> <td></td> <td>3</td> <td>2</td> <td>2</td> <td>5</td> </tr> <tr> <td>x</td> <td></td> <td></td> <td></td> <td>4</td> </tr> <tr> <td></td> <td>1</td> <td>2</td> <td>9</td> <td>0</td> </tr> <tr> <td></td> <td></td> <td></td> <td>1</td> <td>2</td> </tr> </table>		3,000	200	20	5	4	12,000	800	80	20		3	2	2	5	x				4		1	2	9	0				1	2
Th	H	T	O																																						
	3,000	200	20	5																																					
4	12,000	800	80	20																																					
	3	2	2	5																																					
x				4																																					
	1	2	9	0																																					
			1	2																																					
<p>Multiplying up to a 4-digit number by a 2-digit number</p>		<p>Use an area model alongside written multiplication.</p>	<p>Use compact column multiplication with understanding of place value at all stages.</p>																																						

Method 1


	1,000	200	30	5
20	20,000	4,000	600	100
1	1,000	200	30	5

$$\begin{array}{r}
 1\ 2\ 3\ 5 \\
 \times \quad 2\ 1 \\
 \hline
 5 \quad 1 \times 5 \\
 30 \quad 1 \times 30 \\
 200 \quad 1 \times 200 \\
 1\ 000 \quad 1 \times 1,000 \\
 1\ 000 \quad 20 \times 5 \\
 600 \quad 20 \times 30 \\
 4000 \quad 20 \times 200 \\
 20000 \quad 20 \times 1,000 \\
 \hline
 2\ 5\ 9\ 3\ 5 \\
 \hline
 21 \times 1,235
 \end{array}$$

$$\begin{array}{r}
 1\ 2\ 3\ 5 \\
 \times \quad 2\ 1 \\
 \hline
 1\ 2\ 3\ 5 \quad 1 \times 1,235 \\
 2\ 4\ 7\ 0\ 0 \quad 20 \times 1,235 \\
 \hline
 2\ 5\ 9\ 3\ 5 \quad 21 \times 1,235
 \end{array}$$

Using knowledge of factors and partitions to compare methods for multiplications


Use equipment to understand square numbers and cube numbers.



$$5 \times 5 = 5^2 = 25$$


$$5 \times 5 \times 5 = 5^3 = 25 \times 5 = 125$$

Compare methods visually using an area model. Understand that multiple approaches will produce the same answer if completed accurately.



Represent and compare methods using a bar model.

Use a known fact to generate families of related facts.



Use factors to calculate efficiently.

$$\begin{aligned}
 &15 \times 16 \\
 &= 3 \times 5 \times 2 \times 8 \\
 &= 3 \times 8 \times 2 \times 5 \\
 &= 24 \times 10 \\
 &= 240
 \end{aligned}$$

Multiplying by 10, 100 and 1,000

Use place value equipment to explore exchange in decimal multiplication.

T	O	.	Tth
		.	30

Represent 0.3.

T	O	.	Tth
		.	30

Multiply by 10.

T	O	.	Tth
3		.	

Exchange each group of ten tenths.

$$0.3 \times 10 = ?$$

0.3 is 3 tenths.

10 x 3 tenths are 30 tenths.

30 tenths are equivalent to 3 ones.

Understand how the exchange affects decimal numbers on a place value grid.

T	O	.	Tth
3		.	

T	O	.	Tth
	3	.	

T	O	.	Tth
	3	.	3

T	O	.	Tth
3		.	

$$0.3 \times 10 = 3$$

Use knowledge of multiplying by 10, 100 and 1,000 to multiply by multiples of 10, 100 and 1,000.

$$8 \times 100 = 800$$


$$8 \times 300 = 800 \times 3 = 2,400$$

$$2.5 \times 10 = 25$$

$$2.5 \times 20 = 2.5 \times 10 \times 2 = 50$$


Multiplying decimals

Explore decimal multiplications using place value equipment and in the context of measures.



3 groups of 4 tenths is 12 tenths.

4 groups of 3 tenths is 12 tenths.



$$4 \times 1 \text{ cm} = 4 \text{ cm}$$

Represent calculations on a place value grid.

$$3 \times 3 = 9$$

$$3 \times 0.3 = 0.9$$

T	O	.	Tth
		.	9

Understand the link between multiplying decimals and repeated addition.

Use known facts to multiply decimals.

$$4 \times 3 = 12$$

$$4 \times 0.3 = 1.2$$

$$4 \times 0.03 = 0.12$$

$$20 \times 5 = 100$$

$$20 \times 0.5 = 10$$

$$20 \times 0.05 = 1$$

Find families of facts from a known multiplication.

I know that $18 \times 4 = 72$.


This can help me work out:

$$1.8 \times 4 = ?$$

$$4 \times 0.3 \text{ cm} = 1.2 \text{ cm}$$

$$4 \times 1.3 = 4 + 1.2 = 5.2 \text{ cm}$$

T	O	.	Tth
		.	●●
		.	●●



$$18 \times 0.4 = ?$$

$$180 \times 0.4 = ?$$

$$18 \times 0.04 = ?$$


Use a place value grid to understand the effects of multiplying decimals.

	H	T	O	.	Tth	Hth
2×3			6	.		
0.2×3			0	.	6	
0.02×3				.		


Year 6 Division

Understanding factors

Use equipment to explore different factors of a number.




$$24 \div 4 = 6$$




$$30 \div 4 = 7 \text{ remainder } 2$$

4 is a factor of 24 but is not a factor of 30.


Recognise prime numbers as numbers having exactly two factors. Understand the link with division and remainders.



$$17 \div 4 = 4 \text{ r } 1$$



$$17 \div 3 = 5 \text{ r } 2$$



$$17 \div 4 = 4 \text{ r } 1$$




$$17 \div 3 = 5 \text{ r } 2$$

Recognise and know primes up to 100. Understand that 2 is the only even prime, and that 1 is not a prime number.


1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50

Dividing by a single digit

Use equipment to make groups from a total.




There are 78 in total.
There are 6 groups of 13.
There are 13 groups of 6.




How many groups of 6 are in 100?

$$6 \overline{) 100} \begin{array}{r} 0 \\ 132 \end{array}$$



How many groups of 6 are in 13 tens?

$$6 \overline{) 132} \begin{array}{r} 02 \\ 132 \end{array}$$



How many groups of 6 are in 12 ones?

$$6 \overline{) 132} \begin{array}{r} 022 \\ 132 \end{array}$$


Use short division to divide by a single digit.

$$6 \overline{) 132} \begin{array}{r} 0 \\ 132 \end{array}$$

$$6 \overline{) 132} \begin{array}{r} 02 \\ 132 \end{array}$$

$$6 \overline{) 132} \begin{array}{r} 022 \\ 132 \end{array}$$

Use an area model to link multiplication and division.



Dividing by a 2-digit number using factors

Understand that division by factors can be used when dividing by a number that is not prime.

Use factors and repeated division.

$$1,260 \div 14 = ?$$




$$1,260 \div 2 = 630$$

$$630 \div 7 = 90$$

$$1,260 \div 14 = 90$$


Use factors and repeated division where appropriate.

$$2,100 \div 12 = ?$$



Dividing by a 2-digit number using long division





Use equipment to build numbers from groups.



182 divided into groups of 13.
There are 14 groups.

Use an area model alongside written division to model the process.


$$377 \div 13 = ?$$



$$377 \div 13 = 29$$

Use long division where factors are not useful (for example, when dividing by a 2-digit prime number). Write the required multiples to support the division process.

$$377 \div 13 = ?$$



$$\begin{array}{r}
 13 \overline{) 377} \\
 - 130 \quad 10 \\
 \hline
 247 \\
 - 130 \quad 10 \\
 \hline
 117 \\
 - 117 \quad 9 \\
 \hline
 0 \quad 29
 \end{array}$$

$$377 \div 13 = 29$$

A slightly different layout may be used, with the division completed above rather than at the side.


$$\begin{array}{r} 3 \\ 21 \overline{) 798} \\ - 630 \\ \hline 168 \end{array}$$

$$\begin{array}{r} 38 \\ 21 \overline{) 798} \\ - 630 \\ \hline 168 \\ - 168 \\ \hline 0 \end{array}$$

Divisions with a remainder explored in problem-solving contexts.


Dividing by 10, 100 and 1,000

Use place value equipment to explore division as exchange.




*0.2 is 2 tenths.
2 tenths is equivalent to 20 hundredths.
20 hundredths divided by 10 is 2 hundredths.*

Represent division to show the relationship with multiplication. Understand the effect of dividing by 10, 100 and 1,000 on the digits on a place value grid.



Understand how to divide using division by 10, 100 and 1,000.



Use knowledge of factors to divide by multiples of 10, 100 and 1,000.

$$40 \div 50 = \square$$

$$40 \rightarrow \boxed{\div 10} \rightarrow \boxed{\div 5} \rightarrow ?$$

$$40 \rightarrow \boxed{\div 5} \rightarrow \boxed{\div 10} \rightarrow ?$$

$$40 \div 5 = 8$$

$$8 \div 10 = 0.8$$


So, $40 \div 50 = 0.8$

Dividing decimals

Use place value equipment to explore division of decimals.

Use a bar model to represent divisions.

Use short division to divide decimals with up to 2 decimal places.



8 tenths divided into 4 groups. 2 tenths in each group.

0.8			
?	?	?	?

$$4 \times 2 = 8$$

$$8 \div 4 = 2$$

$$\text{So, } 4 \times 0.2 = 0.8$$

$$0.8 \div 4 = 0.2$$

$$\begin{array}{r}
 0. \\
 8 \overline{) 4.24} \\
 \underline{0.} \\
 8 \overline{) 4.24} \\
 \underline{0.5} \\
 8 \overline{) 4.24} \\
 \underline{0.53} \\
 8 \overline{) 4.24}
 \end{array}$$